

Author Index

- Akerkar, G.A., see Bertram, M.J. (38) 33
- Ard, R.L., see Bertram, M.J. (38) 33
- Bertram, M.J., Akerkar, G.A., Ard, R.L., Gonzalez, C. and Wolfner, M.F.
Cell type-specific gene expression in the *Drosophila melanogaster* male accessory gland (38) 33
- Birchenall-Roberts, M.C., see Engelmann, G.L. (38) 85
- Blair, S.S., Giangrande, A., Skeath, J.B. and Palka, J.
The development of normal and ectopic sensilla in the wings of *hairy* and *Hairy wing* mutants of *Drosophila* (38) 3
- Boehm, K.D., see Engelmann, G.L. (38) 85
- Brennan, S.M.
Retinoic acid prevents accumulation of a mesoderm-specific mRNA in the amphibian embryo (38) 17
- Buckingham, M., see Keller, A. (38) 41
- Clement, J., see Knöchel, S. (38) 157
- Criqui, M.-C., Plesse, B., Durr, A., Marbach, J., Parmentier, Y., Jamet, E. and Fleck, J.
Characterization of genes expressed in mesophyll protoplasts of *Nicotiana sylvestris* before the re-initiation of the DNA replicational activity (38) 121
- Dressler, G.R., see Püschel, A.W. (38) 197
- Durr, A., see Criqui, M.-C. (38) 121
- Engelmann, G.L., Boehm, K.D., Birchenall-Roberts, M.C. and Ruscetti, F.W.
Transforming growth factor-beta₁ in heart development (38) 85
- Fleck, J., see Criqui, M.-C. (38) 121
- Frohman, M.A. and Martin, G.R.
Isolation and analysis of embryonic expression of *Hox-4.9*, a member of the murine *labial*-like gene family (38) 55
- Giangrande, A., see Blair, S.S. (38) 3
- Gillespie, L.L., Paterno, G.D., Mahadevan, L.C. and Slack, J.M.W.
Intracellular signalling pathways involved in mesoderm induction by FGF (38) 99
- Gonzalez, C., see Bertram, M.J. (38) 33
- Gros, F., see Keller, A. (38) 41
- Grunz, H.
Suramin changes the fate of Spemann's organizer and prevents neural induction in *Xenopus laevis* (38) 133
- Gudas, L.J., see Langston, A.W. (38) 217
- Harvey, M.B. and Kaye, P.L.
IGF-2 Stimulates growth and metabolism of early mouse embryos (38) 169
- Hille, S., see Knöchel, S. (38) 157
- Hirst, E.M.A., see Howard, J.E. (38) 109
- Howard, J.E., Hirst, E.M.A. and Smith, J.C.
Are β_1 integrins involved in *Xenopus* gastrulation? (38) 109
- Jamet, E., see Criqui, M.-C. (38) 121
- Kaye, P.L., see Harvey, M.B. (38) 169
- Keller, A., Ott, M.-O., Lamandé, N., Lucas, M., Gros, F., Buckingham, M. and Lazar, M.
Activation of the gene encoding the glycolytic enzyme β -enolase during early myogenesis precedes an increased expression during fetal muscle development (38) 41
- Klocke, B., see Knöchel, S. (38) 157
- Knöchel, S., Lef, J., Clement, J., Klocke, B., Hille, S., Köster, M. and Knöchel, W.
Activin A induced expression of a *fork head* related gene in posterior chordamesoderm (notochord) of *Xenopus laevis* embryos (38) 157
- Knöchel, W., see Knöchel, S. (38) 157
- Köster, M., see Knöchel, S. (38) 157
- Kuhn, K., see Maier, D. (38) 143
- Lamandé, N., see Keller, A. (38) 41
- Langston, A.W. and Gudas, L.J.
Identification of a retinoic acid responsive enhancer 3' of the murine homeobox gene *Hox-1.6* (38) 217
- Lazar, M., see Keller, A. (38) 41
- Lef, J., see Knöchel, S. (38) 157
- Levine, M., see Read, D. (38) 183
- Lucas, M., see Keller, A. (38) 41
- Mahadevan, L.C., see Gillespie, L.L. (38) 99
- Maier, D., Stumm, G., Kuhn, K. and Preiss, A.
Hairless, a *Drosophila* gene involved in neural development, encodes a novel, serine rich protein (38) 143
- Manley, J.L., see Read, D. (38) 183
- Mansour, T.E., see Webster, P.J. (38) 25
- Marbach, J., see Criqui, M.-C. (38) 121
- Martin, G.R., see Frohman, M.A. (38) 55
- Martin, P. and Nobes, C.D.
An early molecular component of the wound healing response in rat embryos—induction of *c-fos* protein in cells at the epidermal wound margin (38) 209
- Nobes, C.D., see Martin, P. (38) 209
- Ott, M.-O., see Keller, A. (38) 41
- Palka, J., see Blair, S.S. (38) 3
- Parmentier, Y., see Criqui, M.-C. (38) 121
- Paterno, G.D., see Gillespie, L.L. (38) 99
- Plesse, B., see Criqui, M.-C. (38) 121
- Preiss, A., see Maier, D. (38) 143
- Püschel, A.W., Westerfield, M. and Dressler, G.R.
Comparative analysis of Pax-2 protein distributions during neurulation in mice and zebrafish (38) 197
- Read, D., Levine, M. and Manley, J.L.
Ectopic expression of the *Drosophila tramtrack* gene results in multiple embryonic defects, including repression of *even-skipped* and *fushi tarazu* (38) 183
- Ruscetti, F.W., see Engelmann, G.L. (38) 85
- Skeath, J.B., see Blair, S.S. (38) 3
- Slack, J.M.W., see Gillespie, L.L. (38) 99
- Slack, J.M.W., see Thompson, J. (38) 175
- Smith, J.C., see Howard, J.E. (38) 109
- Stumm, G., see Maier, D. (38) 143

Tata, J.R., see Xu, Q. (38) 69

Thompson, J. and Slack, J.M.W.

Over-expression of fibroblast growth factors in *Xenopus* embryos
(38) 175

Webster, P.J. and Mansour, T.E.

Conserved classes of homeodomains in *Schistosoma mansoni*, an
early bilateral metazoan (38) 25

Westerfield, M., see Püschel, A.W. (38) 197

Wolfner, M.F., see Bertram, M.J. (38) 33

Xu, Q. and Tata, J.R.

Characterization and developmental expression of *Xenopus*
C/EBP gene (38) 69

Subject Index

Achaete-scute complex

Helix-loop-helix protein; Imaginal disc; Neurogenesis (Blair, S.S. (38) 3)

Activin

Xenopus; Gastrulation; Integrin; Fibronectin; Mesoderm induction (Howard, J.E. (38) 109)

Anionic peroxidase

Development; Gene expression; *Nicotiana sylvestris*; Proteinase inhibitor I; Protoplast; Stress (Crique, M.-C. (38) 121)

Antennapedia

Homeobox; *Schistosoma mansoni*; *engrailed*; *paired* (Webster, P.J. (38) 25)

Basic fibroblast growth factor

Xenopus laevis; Signal sequence; Secretion; Mesoderm induction (Thompson, J. (38) 175)

Brain

Engrailed; Paired-box; Spinal cord (Püschel, A.W. (38) 197)

C/EBP mRNA

DNA binding; Metamorphosis; Tissue distribution; Transcription factor (Xu, Q. (38) 69)

c-fos

Embryo; Morphogenetic movement; Wound healing (Martin, P. (38) 209)

Dermatome

Hox; Homeobox; Mouse embryology; Neurogenesis; Positional information (Frohman, M.A. (38) 55)

Development

Anionic peroxidase; Gene expression; *Nicotiana sylvestris*; Proteinase inhibitor I; Protoplast; Stress (Crique, M.-C. (38) 121)

Drosophila; *Hairless*; Peripheral nervous system (PNS); Serine rich protein (Maier, D. (38) 143)

DNA binding

C/EBP mRNA; Metamorphosis; Tissue distribution; Transcription factor (Xu, Q. (38) 69)

Dorsal blastopore lip

Fork head domain; Transcription factor; Mesoderm induction; *Xenopus laevis* (Knöchel, S. (38) 157)

Drosophila

Hairless; Peripheral nervous system (PNS); Development; Serine rich protein (Maier, D. (38) 143)

Ejaculatory duct

Paragonia; Mating response; Secretory cell; Enhancer trap (Bertram, M.J. (38) 33)

Embryo

IGF-2; Growth; Metabolism; Mouse (Harvey, M.B. (38) 169)

Morphogenetic movement; Wound healing; *c-fos* (Martin, P. (38) 209)

engrailed

Homeobox; *Schistosoma mansoni*; *Antennapedia*; *paired* (Webster, P.J. (38) 25)

Engrailed

Brain; Paired-box; Spinal cord (Püschel, A.W. (38) 197)

Enhancer trap

Paragonia; Ejaculatory duct; Mating response; Secretory cell (Bertram, M.J. (38) 33)

β -Enolase

Mouse myogenesis; In situ hybridization; Immunocytochemistry (Keller, A. (38) 41)

Fibroblast growth factor

Mesoderm induction; Signal transduction; Tyrosine phosphorylation; Protein kinase C (Gillespie, L.L. (38) 99)

Fibronectin

Xenopus; Gastrulation; Integrin; Mesoderm induction; Activin (Howard, J.E. (38) 109)

Fork head domain

Transcription factor; Dorsal blastopore lip; Mesoderm induction; *Xenopus laevis* (Knöchel, S. (38) 157)

Gastrulation

Xenopus; Integrin; Fibronectin; Mesoderm induction; Activin (Howard, J.E. (38) 109)

Gene expression

Transforming growth factor-beta; Myocyte (Engelmann, G.L. (38) 85)

Anionic peroxidase; Development; *Nicotiana sylvestris*; Proteinase inhibitor I; Protoplast; Stress (Crique, M.-C. (38) 121)

Growth

IGF-2; Metabolism; Mouse; Embryo (Harvey, M.B. (38) 169)

Growth factor

Neural induction; Suramin; Mesodermal induction; Spemann's organizer (Grunz, H. (38) 133)

Hairless

Drosophila; Peripheral nervous system (PNS); Development; Serine rich protein (Maier, D. (38) 143)

Helix-loop-helix protein

Achaete-scute complex; Imaginal disc; Neurogenesis (Blair, S.S. (38) 3)

Homeobox

Schistosoma mansoni; *Antennapedia*; *engrailed*; *paired* (Webster, P.J. (38) 25)

Dermatome; *Hox*; Mouse embryology; Neurogenesis; Positional information (Frohman, M.A. (38) 55)

Homeobox gene

Retinoic acid; Teratocarcinoma cell; Pattern formation (Langston, A.W. (38) 217)

Hox

Dermatome; Homeobox; Mouse embryology; Neurogenesis; Positional information (Frohman, M.A. (38) 55)

IGF-2

Growth; Metabolism; Mouse; Embryo (Harvey, M.B. (38) 169)

Imaginal disc

Achaete-scute complex; Helix-loop-helix protein; Neurogenesis (Blair, S.S. (38) 3)

Immunocytochemistry

β -Enolase; Mouse myogenesis; In situ hybridization (Keller, A. (38) 41)

In situ hybridization

β -Enolase; Mouse myogenesis; Immunocytochemistry (Keller, A. (38) 41)

Integrin

Xenopus; Gastrulation; Fibronectin; Mesoderm induction; Activin (Howard, J.E. (38) 109)

Mating response

Paragonia; Ejaculatory duct; Secretory cell; Enhancer trap (Bertram, M.J. (38) 33)

Mesodermal induction

Neural induction; Suramin; Spemann's organizer; Growth factor (Grunz, H. (38) 133)

Mesoderm induction

Muscle actin gene; Retinoic acid; Transcriptional maintenance (Brennan, S.M. (38) 17)

Signal transduction; Fibroblast growth factor; Tyrosine phosphorylation; Protein kinase C (Gillespie, L.L. (38) 99)

Xenopus; Gastrulation; Integrin; Fibronectin; Activin (Howard, J.E. (38) 109)

Fork head domain; Transcription factor; Dorsal blastopore lip; *Xenopus laevis* (Knöchel, S. (38) 157)

Xenopus laevis; Basic fibroblast growth factor; Signal sequence; Secretion (Thompson, J. (38) 175)

Metabolism

IGF-2; Growth; Mouse; Embryo (Harvey, M.B. (38) 169)

Metamorphosis

C/EBP mRNA; DNA binding; Tissue distribution; Transcription factor (Xu, Q. (38) 69)

Morphogenetic movement

Embryo; Wound healing; *c-fos* (Martin, P. (38) 209)

Mouse

IGF-2; Growth; Metabolism; Embryo (Harvey, M.B. (38) 169)

Mouse embryology

Dermatome; *Hox*; Homeobox; Neurogenesis; Positional information (Frohman, M.A. (38) 55)

Mouse myogenesis

β -Enolase; In situ hybridization; Immunocytochemistry (Keller, A. (38) 41)

Muscle actin gene

Mesoderm induction; Retinoic acid; Transcriptional maintenance (Brennan, S.M. (38) 17)

Myocyte

Transforming growth factor-beta; Gene expression (Engelmann, G.L. (38) 85)

Neural induction

Suramin; Mesodermal induction; Spemann's organizer; Growth factor (Grunz, H. (38) 133)

Neurogenesis

Achaete-scute complex; Helix-loop-helix protein; Imaginal disc (Blair, S.S. (38) 3)

Dermatome; *Hox*; Homeobox; Mouse embryology; Positional information (Frohman, M.A. (38) 55)

Nicotiana sylvestris

Anionic peroxidase; Development; Gene expression; Proteinase inhibitor I; Protoplast; Stress (Criqui, M.-C. (38) 121)

paired

Homeobox; *Schistosoma mansoni*; *Antennapedia*; *engrailed* (Webster, P.J. (38) 25)

Paired-box

Brain; *Engrailed*; Spinal cord (Püschel, A.W. (38) 197)

Paragonia

Ejaculatory duct; Mating response; Secretory cell; Enhancer trap (Bertram, M.J. (38) 33)

Pattern formation

Retinoic acid; Teratocarcinoma cell; Homeobox gene (Langston, A.W. (38) 217)

Peripheral nervous system (PNS)

Drosophila; *Hairless*; Development; Serine rich protein (Maier, D. (38) 143)

Positional information

Dermatome; *Hox*; Homeobox; Mouse embryology; Neurogenesis (Frohman, M.A. (38) 55)

Proteinase inhibitor I

Anionic peroxidase; Development; Gene expression; *Nicotiana sylvestris*; Protoplast; Stress (Criqui, M.-C. (38) 121)

Protein kinase C

Mesoderm induction; Signal transduction; Fibroblast growth factor; Tyrosine phosphorylation (Gillespie, L.L. (38) 99)

Protoplast

Anionic peroxidase; Development; Gene expression; *Nicotiana sylvestris*; Proteinase inhibitor I; Stress (Criqui, M.-C. (38) 121)

Retinoic acid

Mesoderm induction; Muscle actin gene; Transcriptional maintenance (Brennan, S.M. (38) 17)

Teratocarcinoma cell; Homeobox gene; Pattern formation (Langston, A.W. (38) 217)

Schistosoma mansoni

Homeobox; *Antennapedia*; *engrailed*; *paired* (Webster, P.J. (38) 25)

Secretion

Xenopus laevis; Basic fibroblast growth factor; Signal sequence; Mesoderm induction (Thompson, J. (38) 175)

Secretory cell

Paragonia; Ejaculatory duct; Mating response; Enhancer trap (Bertram, M.J. (38) 33)

Serine rich protein

Drosophila; *Hairless*; Peripheral nervous system (PNS); Development (Maier, D. (38) 143)

Signal sequence

Xenopus laevis; Basic fibroblast growth factor; Secretion; Mesoderm induction (Thompson, J. (38) 175)

Signal transduction

Mesoderm induction; Fibroblast growth factor; Tyrosine phosphorylation; Protein kinase C (Gillespie, L.L. (38) 99)

Spemann's organizer

Neural induction; Suramin; Mesodermal induction; Growth factor (Grunz, H. (38) 133)

Spinal cord

Brain; *Engrailed*; *Paired-bo* (xPüschel, A.W. (38) 197)

Stress

Anionic peroxidase; Development; Gene expression; *Nicotiana sylvestris*; Proteinase inhibitor I; Protoplast (Criqui, M.-C. (38) 121)

Suramin

Neural induction; Mesodermal induction; Spemann's organizer; Growth factor (Grunz, H. (38) 133)

Teratocarcinoma cell

Retinoic acid; Homeobox gene; Pattern formation (Langston, A.W. (38) 217)

Tissue distribution

C/EBP mRNA; DNA binding; Metamorphosis; Transcription factor (Xu, Q. (38) 69)

Transcriptional maintenance

Mesoderm induction; Muscle actin gene; Retinoic acid (Brennan, S.M. (38) 17)

Transcription factor

C/EBP mRNA; DNA binding; Metamorphosis; Tissue distribution (Xu, Q. (38) 69)

Fork head domain; Dorsal blastopore lip; Mesoderm induction; *Xenopus laevis* (Knöchel, S. (38) 157)

Transforming growth factor-beta

Gene expression; Myocyte (Engelmann, G.L. (38) 85)

Tyrosine phosphorylation

Mesoderm induction; Signal transduction; Fibroblast growth factor; Protein kinase C (Gillespie, L.L. (38) 99)

Wound healing

Embryo; Morphogenetic movement; *c-fos* (Martin, P. (38) 209)

Xenopus

Gastrulation; Integrin; Fibronectin; Mesoderm induction; Activin (Howard, J.E. (38) 109)

Xenopus laevis

Fork head domain; Transcription factor; Dorsal blastopore lip; Mesoderm induction (Knöchel, S. (38) 157)

Basic fibroblast growth factor; Signal sequence; Secretion; Mesoderm induction (Thompson, J. (38) 175)